Revision #:0

Page **1** of **6**



Safety Data Sheet

Prepared according to GHS

1. Identification		
Product Name	DRIVEN GP-1 Synthetic Blend Series	
Product Code(s)	19206, 19217, 19220, 19222,19306, 19317,19320, 19322, 19406, 19417,	
	19420, 19422, 19506, 19508, 19517, 19520, 19522, 19706, 19717, 19720,	
	19722	
Recommended Use	Engine Oil	
Distributor	Driven Racing Oil	
	3416 Democrat Rd	
	Memphis, TN 38118	
	www.drivenracingoil.com.com	
	sds@drivenracingoil.com	
Emergency Telephone	Chemtrec 1-800-424-9300 (24 HRS)	
Number(s)	Driven: 1-866-611-1820 (M-F 8 AM to 5 PM CST)	
	2. Hazards Identification	
GHS Classification	This product is not considered hazardous by the OSHA Hazard	
	Communication Standard (29 CFR 1910.1200).	
Signal Word	Not applicable	
Hazard Statements	Not applicable	
Other Hazard Information	Not applicable	
GHS Pictogram	Not applicable	
Precautionary Statements	Not applicable	

3. Composition / Information on Ingredients

CAS No.	Component	Percent
This product does no	ot contain ingredients that are hazardous by the OSHA Hazard Co	mmunication Standard
(29 CFR 1910.1200)		

4. First Aid Measures

Eyes

Check for and remove any contact lenses. Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.

19206, 19217, 19220, 19222, 19306, 19317, 19320, 19322, 19406, 19417, 19420, 19422, 19506, 19508, 19517, 19520, 19522, 19706, 19717, 19720, 19722

Revision #:0	Page 2 of 6			
4. First Aid Measures				
Skin	In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.			
Inhalation	Move exposed person to fresh air. Get medical attention if irritation develops.			
Ingestion	First aid is normally not required. Get medical attention if discomfort develops.			
Note to Physicians	No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested or inhaled.			

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

Shipping and Storing Procedures

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

19206, 19217, 19220, 19222, 19306, 19317, 19320, 19322, 19406, 19417, 19420, 19422, 19506, 19508, 19517, 19520, 19522, 19706, 19717, 19720, 19722

Revision #:0 Page **3** of **6**

8. Exposure Controls / Personal Protection

Component Exposure Limits*

When mists/aerosols can occur the following are recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction), 5 mg/m³ - OSHA PEL.

*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Engineering ControlsMaterial should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

Eye/Face Protection Safety glasses. If potential for splash or mist exists, wear chemical

goggles or face shield.

Skin Protection Normal work gloves are appropriate

Respiratory Protection No special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Green	Flammability	Not available
Physical State		Upper/Lower	
•	•	Flammability Limits	
Odor	Mild	Vapor Pressure (kPa at	0
		20°C)	
Odor Threshold	Not available	Vapor Density	Not available
pН	Not available	Relative Density (lbs/gal)	7.18-7.48
Melting/Freezing Point	Not available	Water Soluble	No
(°F)			
Initial Boiling Point (°F)	Not available	Partition Coefficient: n-	Not available
		octanol/water	
Boiling Range (°F)	Not available	Auto-ignition	Not available
		Temperature (°F)	
Flash Point (°F)	410-500	Decomposition	Not available
		Temperature (°F)	
Evaporation Rate	Not available	Viscosity (40°C mm²/s)	Not available

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.

19206, 19217, 19220, 19222, 19306, 19317, 19320, 19322, 19406, 19417, 19420, 19422, 19506, 19508, 19517, 19520, 19522, 19706, 19717, 19720, 19722

Revision #:0 Page **4** of **6**

10. Chemical Stability & Reactivity Information

Conditions to Avoid High temperatures

Incompatibility Strong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other

Products products of incomplete combustion.

11. Toxicological Information

Acute Exposure

Respiratory Irritation Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors

are generated from heating, exposure may cause irritation of mucous

membranes and upper respiratory tract. Based on data from similar materials.

Eye Irritation Causes serious eye damage.

Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.Aspiration HazardsNot expected to pose an aspiration hazard if swallowed.

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity No data available to indicate product or any components present at greater

than .1% are carcinogenic.

Mutagenicity No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Component Analysis – LD50 / LC50

Inhalation LC50 Rat>20 mg/L 4hOral LD50 Rat>5000 mg/kgDermal LD50 Rabbit>2000 mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species Concentration/Conditions

96 Hr LC50 Not available mg/L

Pimephales promelas

Persistence & Degradability Not determined **Bioaccumulation Potential** Not determined

19206, 19217, 19220, 19222, 19306, 19317, 19320, 19322, 19406, 19417, 19420, 19422, 19506, 19508, 19517, 19520, 19522, 19706, 19717, 19720, 19722

Revision #:0 Page **5** of **6**

Soil Mobility Not determined **Other Adverse Effects** Not determined

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide		171		North American Emergency Response		
No.					Guide Book	
	UN Number	Sh	ipping Name (technical	F	Hazard Class	Packing Group
		nar	me)			
U.S. DOT	U.S. DOT No		t Regulated			
Bulk						
U.S. DOT		No	Not Regulated			
Non-Bulk			-			

15. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304)

SARA Section 313

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B. This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of

Superfund Amendments and Reauthorization Act of 1986 and 40

CFR Part 372.

SARA Section 311 & 312 Classifications

Acute Hazard No
Chronic Hazard No
Fire Hazard No
Reactivity Hazard No

CERCLA This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product is not routinely tested to determine chemical(s) known to the

state of California to cause cancer and/or birth defects based on maximum

impurity levels of components.

Global Chemical Inventories

Inventory	
US TSCA	Listed

19206, 19217, 19220, 19222, 19306, 19317, 19320, 19322, 19406, 19417, 19420, 19422, 19506, 19508, 19517, 19520, 19522, 19706, 19717, 19720, 19722

Revision #:0			Page 6 of 6
	TIT	T 1-4-1	

EU	Listed
Japan	Not available
Australia	Listed
New Zealand	Not available
Canada	Listed
Switzerland	Not available
Korea	Listed
Philippines	Listed
China	Listed
Taiwan	Not available

16. Other Information

US NFPA Ratings

Health	Fire	Reactivity
1	1	0

HMIS Ratings

Health	Fire	Physical Hazards
1	1	0

Revision Date Revision Reason 23 February 2023 Update Product Code

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS